


MOTOTRBO™ SL SERIES DIGITAL TWO-WAY PORTABLE RADIO

WHERE FUNCTION MEETS STYLE



EURO PRICE CATALOGUE



YOU'RE SMARTER, CONNECTED



Features

- Slim, sleek design - SL4010e dimensions 121x55x17.4mm (w/1400mAh battery fitted)
- UHF1 (403-470MHz); 3W; IP54 rated
- Up to 1000 channels
- Dual internal speakers deliver loud, clear audio quality
- Tri-colour LED indicator for clear, visible feedback of calling, scanning, roaming and monitoring features.
- Contoured push-to-talk button provides comfort and is easy to access
- 4-way navigation disc for easy scrolling through menus and channels
- 2 programmable option buttons for quick access to frequently used features; ability to program up to 9 of your favorite features into a single programmable button
- Roman and Hebrew keypad options
- Basic / Enhanced Privacy
- AES256 Encryption via Software Purchase
- Integrated Bluetooth 4.0 LE for wireless and data
- Integrated Wi-Fi (OTA Software Updates and ADK) via Software Purchase
- Audio connector port supports discreet wired audio accessories (wireless Bluetooth audio also available)
- Built-in photo sensor intuitively adjusts backlighting on the screen to optimize viewing in all types of conditions, special "day/night mode" changes screen and illuminates icons to make them clear and readable in varying light conditions
- Large, high-definition, 5 line, colour display offers high clarity and resolution
- Intelligent Audio feature automatically adjusts the radio volume according to the environment's noise level
- Innovative antenna design optimizes range performance (3 variations depending on frequency required)
- Covert mode for discrete operation when it counts
- SL4010e models have an integrated option board
- Integrated man-down via Software Purchase
- Indoor Location Tracking via Software Purchase
- Direct Mode (including Dual Capacity Direct Mode)
- IP Site Connect (Single and Multi-Site)
- Capacity Plus (Single and Multi-Site)
- Capacity Max via Software Purchase
- Connect Plus via Software Purchase
- Memory enhancement (128MB RAM & 256MB Flash memory)

Standard Package

- Li-Ion 2300mAh (Typical) Battery (PMNN4468_)
- Charger option (PMPN4006_)
- Antenna Option (PMAE4076_, 77_, 78_)
- Carry Holster (PMLN5956_)
- In-box Documentation (QRG option, Safety, RTTE Leaflet)

NOTE reminder: The 24 month warranty only applies to the radio tanapa.

NOTE: When ordering Bulk model (x20) please ensure order qty in multiples of 20. These will ship without single packaging.

Technical Data

Potential Self-quieting Frequencies to be avoided:

UHF: 403.2 ± 5kHz, 405.6 ± 5kHz, 408 ± 5kHz, 410.4 ± 5kHz, 412.8 ± 5kHz, 415.2 ± 5kHz, 417.6 ± 5kHz, 420 ± 5kHz, 422.4 ± 5kHz, 424.8 ± 5kHz, 427.2 ± 5kHz, 429.6 ± 5kHz, 431.96 ± 40kHz, 432.04 ± 40kHz, 434.4 ± 5kHz, 436.8 ± 5kHz, 439.2 ± 5kHz, 440 ± 5kHz, 441.6 ± 5kHz, 444 ± 5kHz, 446.4 ± 5kHz, 448.8 ± 5kHz, 451.2 ± 5kHz, 456 ± 5kHz, 460.8 ± 5kHz, 465.6 ± 5kHz, 467.96 ± 40kHz, 468.04 ± 40kHz

SL4010E 403-470M 3W FKP GOB WIFI PMTR532HEG

MODEL NO.	DESCRIPTION	A.S.TELECOM PRICE
MDH81QCN9TA2AN	SL4010E 403-470M 3W FKP GOB WIFI PMTR532HEG CE: Yes RTTE: Yes	€651,00

Mandatory Options: One option from each group must be chosen

Antenna	QA02832AA	ADD: STUBBY ANTENNA (403-425MHZ)	€0.00
	QA02833AA	ADD: STUBBY ANTENNA (420-445MHZ)	€0.00
	QA02834AA	ADD: STUBBY ANTENNA (438-470MHZ)	€0.00
Battery	QA04378AB	ADD: SL BATT LIION 2300T	€0.00

SL4010e MOTOTRBO Portable Radio

A.S.TELECOM PRICE

SL4010E 403-470M 3W FKP GOB WIFI PMTR532HEG (Continued)

	MODEL NO.	DESCRIPTION	A.S.TELECOM PRICE
Charger	QA02838AA	DEL : CHARGER	€-11.00
	QA06053AA	ADD: USB CHARGER EU	€0.00
	QA06054AA	ADD: USB CHARGER UK	€0.00
User Guide	QA02839AA	ADD: SL4000/4010 QUICK REFERENCE GUIDE	€1.00
	QA02840AA	DEL: QUICK REFERENCE GUIDE	€0.00
Basic Configuration	QA05980AA	ADD: ROMAN KEYPAD	€0.00
	QA05981AA	ADD: HEBREW KEYPAD	€0.00
	QA05982AA	ADD: ROMAN KEYPAD CONNECT PLUS	€45.00
Service from the Start	QA04597AA	ADD: SFS ESSENTIAL 3 YEAR	€39.00
	QA04598AA	ADD: SFS COMPREHENSIVE 3 YEAR	€86.00
	QA04599AA	ADD: SFS LITE 5 YEAR	€37.80
	QA04600AA	ADD: SFS ESSENTIAL 5 YEAR	€63.00
	QA04601AA	ADD: SFS COMPREHENSIVE 5 YEAR	€143.00
	QA04602AA	DEL: NO SFS STANDARD WARRANTY APPLIES	€0.00
	QA04985AA	ADD: SFS LITE 3 YEAR	€13.30

SL4010E 403-470M 3W FKP GOB WIFI PMTR532HEG

MODEL NO.	DESCRIPTION	A.S.TELECOM PRICE
MDH81QCN9TA2ANB SL4010E 403-470M 3W FKP GOB WIFI PMTR532HEG CE: Yes RTTE: Yes		€619,00

Mandatory Options: One option from each group must be chosen

Antenna	QA02832AA	ADD: STUBBY ANTENNA (403-425MHZ)	€0.00
	QA02833AA	ADD: STUBBY ANTENNA (420-445MHZ)	€0.00
	QA02834AA	ADD: STUBBY ANTENNA (438-470MHZ)	€0.00
Battery	QA04378AB	ADD: SL BATT LIION 2300T	€0.00
Charger	QA03074AA	DEL:CHARGER	€-11.00
	QA06056AA	ADD: USB CHARGER EU	€0.00
	QA06057AA	ADD: USB CHARGER UK	€0.00
User Guide	QA02839AA	ADD: SL4000/4010 QUICK REFERENCE GUIDE	€1.00
	QA02840AA	DEL: QUICK REFERENCE GUIDE	€0.00
Basic Configuration	QA05980AA	ADD: ROMAN KEYPAD	€0.00
	QA05981AA	ADD: HEBREW KEYPAD	€0.00
	QA05982AA	ADD: ROMAN KEYPAD CONNECT PLUS	€45.00
Service from the Start	QA04597AA	ADD: SFS ESSENTIAL 3 YEAR	€39.00
	QA04598AA	ADD: SFS COMPREHENSIVE 3 YEAR	€86.00
	QA04599AA	ADD: SFS LITE 5 YEAR	€37.80
	QA04600AA	ADD: SFS ESSENTIAL 5 YEAR	€63.00
	QA04601AA	ADD: SFS COMPREHENSIVE 5 YEAR	€143.00
	QA04602AA	DEL: NO SFS STANDARD WARRANTY APPLIES	€0.00
	QA04985AA	ADD: SFS LITE 3 YEAR	€13.30

Call or email us for advice



info@astelecom.nl

Rufen Sie uns an oder mailen Sie uns für eine Beratung



+31 6 517 19 637

Antennas




Antenna UHF 420-445 MHz

- Type: Stubby
- Frequency Band: UHF
- Frequency Range: 420-445 MHz
- GPS: No
- Colour Code: Black
- Length (mm): 18
-

Note: Tighten screw 0.9 N-m or 0.8lbf. in - Do not overtighten screw.
A T4 Micro TORX driver bit is required.

Part Number: PMAE4076B ANTENNA, STUBBY (420-445MHZ) Unit of Measure: EA CE: No RTTE: Yes	List Price €14.00
---	-----------------------------



Antenna UHF 438-470 MHz

- Type: Stubby
- Frequency Band: UHF
- Frequency Range: 438-470 MHz
- GPS: No
- Colour Code: Black
- Length (mm): 18
-

Note: Tighten screw 0.9 N-m or 0.8lbf. in - Do not overtighten screw.
A T4 Micro TORX driver bit is required.

Part Number: PMAE4077B ANTENNA, STUBBY (438-470MHZ) Unit of Measure: EA CE: No RTTE: Yes	List Price €14.00
---	-----------------------------



Antenna UHF 403-425MHz

- Type: Stubby
- Frequency Band: UHF
- Frequency Range: 403-433MHz
- GPS: No
- Colour Code: Black
- Length (mm): 18
-

Note: Tighten screw 0.9 N-m or 0.8lbf. in - Do not overtighten screw.
A T4 Micro TORX driver bit is required.

Part Number: PMAE4078B ANTENNA, STUBBY (403-425MHZ) Unit of Measure: EA CE: No RTTE: Yes	List Price €14.00
---	-----------------------------

Call or email us for advice

 info@astelecom.nl

Rufen Sie uns an oder mailen Sie uns für eine Beratung

 +31 6 517 19 637

Batteries

	<p>Li-Ion 1800mAh Battery</p> <ul style="list-style-type: none">• Dimensions HxWxD(mm): 53.8 x 35.8 x 9.3• Weight(g): 38• Chemistry: Lilon• Operational Time(Hrs): 11.5 (based on 5/5/90 duty cycle with battery saver enabled)• Capacity(mAH): 1800mAh(Typical)• Intelligent: N• No. of Charge cycle: 400• Energy Density (mAh/cm3): 13.66• Operating Tem Range (°c): -10 to +60• Memory Effect: No• IP Rating : IP 54• Requires Maintenance: Yes• Intrinsic Safety : No	<table><tr><td>Part Number: HKNN4013A</td><td>List Price</td></tr><tr><td>BATTERY CELLPACK ASSEMBLY, ASSY, BAT, BT90 1800 MAH LI-ON BAT 3.7V KIT</td><td>€35.00</td></tr><tr><td>Unit of Measure: EA</td><td>CE: Yes RTTE: Yes</td></tr></table>	Part Number: HKNN4013A	List Price	BATTERY CELLPACK ASSEMBLY, ASSY, BAT, BT90 1800 MAH LI-ON BAT 3.7V KIT	€35.00	Unit of Measure: EA	CE: Yes RTTE: Yes
Part Number: HKNN4013A	List Price							
BATTERY CELLPACK ASSEMBLY, ASSY, BAT, BT90 1800 MAH LI-ON BAT 3.7V KIT	€35.00							
Unit of Measure: EA	CE: Yes RTTE: Yes							
	<p>SL Series Battery Cover</p> <ul style="list-style-type: none">• Material: Plastic• Quick release: Yes• Note: For use with PMNN4425_ 1400mAh Battery	<table><tr><td>Part Number: PMLN6000A</td><td>List Price</td></tr><tr><td>BATTERY COVER ASSEMBLY FOR MID CAPACITY</td><td>€10.00</td></tr><tr><td>Unit of Measure: EA</td><td>CE: No RTTE: Yes</td></tr></table>	Part Number: PMLN6000A	List Price	BATTERY COVER ASSEMBLY FOR MID CAPACITY	€10.00	Unit of Measure: EA	CE: No RTTE: Yes
Part Number: PMLN6000A	List Price							
BATTERY COVER ASSEMBLY FOR MID CAPACITY	€10.00							
Unit of Measure: EA	CE: No RTTE: Yes							
	<p>SL Series Battery Cover</p> <ul style="list-style-type: none">• Material: Plastic• Quick release: Yes• Note: For use with HKNN4013_ 1800mAh Battery	<table><tr><td>Part Number: PMLN6001A</td><td>List Price</td></tr><tr><td>BATTERY COVER ASSEMBLY FOR HIGH CAPACITY</td><td>€10.00</td></tr><tr><td>Unit of Measure: EA</td><td>CE: No RTTE: Yes</td></tr></table>	Part Number: PMLN6001A	List Price	BATTERY COVER ASSEMBLY FOR HIGH CAPACITY	€10.00	Unit of Measure: EA	CE: No RTTE: Yes
Part Number: PMLN6001A	List Price							
BATTERY COVER ASSEMBLY FOR HIGH CAPACITY	€10.00							
Unit of Measure: EA	CE: No RTTE: Yes							
	<p>Ultra High Cap Battery Cover</p> <ul style="list-style-type: none">• Material: Plastic• Quick release: Yes• Note: For use with PMNN4459_ or PMNN4468_ 2300mAh Batteries	<table><tr><td>Part Number: PMLN6745A</td><td>List Price</td></tr><tr><td>ULTRA HIGH CAP BATTERY DOOR KIT</td><td>€15.00</td></tr><tr><td>Unit of Measure: EA</td><td>CE: No RTTE: Yes</td></tr></table>	Part Number: PMLN6745A	List Price	ULTRA HIGH CAP BATTERY DOOR KIT	€15.00	Unit of Measure: EA	CE: No RTTE: Yes
Part Number: PMLN6745A	List Price							
ULTRA HIGH CAP BATTERY DOOR KIT	€15.00							
Unit of Measure: EA	CE: No RTTE: Yes							
	<p>Li-Ion 1400mAh Battery</p> <ul style="list-style-type: none">• Dimensions HxWxD(mm): 53.81 x 35.80 x 7.00• Weight(g): 45g• Chemistry: Lilon• Operational Time(Hrs): 8.5 (based on 5/5/90 duty cycle with battery saver enabled)• Capacity[mAH]: 1400mAh(Typical)• Intelligent: No• No. of Charge cycle: 400• Energy Density (mAh/cm3): 101.6• Operating Tem Range (°c): -20 to +60• Memory Effect: No• IP Rating : IP 54• Requires Maintenance: Yes• Intrinsic Safety Std: No	<table><tr><td>Part Number: PMNN4425B</td><td>List Price</td></tr><tr><td>BATT LIION 1400T</td><td>€30.00</td></tr><tr><td>Unit of Measure: EA</td><td>CE: Yes RTTE: Yes</td></tr></table>	Part Number: PMNN4425B	List Price	BATT LIION 1400T	€30.00	Unit of Measure: EA	CE: Yes RTTE: Yes
Part Number: PMNN4425B	List Price							
BATT LIION 1400T	€30.00							
Unit of Measure: EA	CE: Yes RTTE: Yes							
	<p>Li-Ion 2300mAh Battery</p> <ul style="list-style-type: none">• Dimensions HxWxD(mm): 53.8 x 35.8 x 11.3• Weight(g): 48• Chemistry: Lilon• Operational Time(Hrs): 11.8(Analogue)• Operational Time(Hrs): 14(Digital)• Capacity(mAH): 2300mAh(Typ)• Intelligent: N• No. of Charge cycle: 500• Energy Density (mAh/cm3): 94.3• Operating Temp Range (°c): -20 to +60• Memory Effect: No• IP Rating : IP 54• Requires Maintenance: No• Intrinsic Safety : No	<table><tr><td>Part Number: PMNN4468A</td><td>List Price</td></tr><tr><td>BATTERY PACK, BATT LIION 2300T</td><td>€37.00</td></tr><tr><td>Unit of Measure: EA</td><td>CE: Yes RTTE: Yes</td></tr></table>	Part Number: PMNN4468A	List Price	BATTERY PACK, BATT LIION 2300T	€37.00	Unit of Measure: EA	CE: Yes RTTE: Yes
Part Number: PMNN4468A	List Price							
BATTERY PACK, BATT LIION 2300T	€37.00							
Unit of Measure: EA	CE: Yes RTTE: Yes							

Call or email us for advice

Rufen Sie uns an oder mailen Sie uns für eine Beratung




info@astelecom.nl



+31 6 517 19 637

Carrying Solutions



Radio Carry Holder with Swivel Belt Clip

- Material: Plastic
- Belt Clip: Swivel
- Quick release: Yes

Part Number: PMLN5956B HOLSTER	List Price
Unit of Measure: EA CE: No RTTE: No	€10.00



Wrist Strap

- Material: Nylon
- Color : Black
- Length(mm) : 330 (End to End)

Part Number: PMLN6074A WRIST STRAP	List Price
Unit of Measure: EA CE: No RTTE: No	€7.00




Soft Leather Case W/1.5" Swivel Clip

- Material: Soft Leather
- Attachment Type: Belt Clip
- Belt Swivel: Y
- Display/Non-Display: Display

Radio not included

Part Number: PMLN7040A CARRY ACCESSORY-CASE,SOFT LEATHER CC W/QD 1.5" SWL CLIP	List Price
Unit of Measure: EA CE: No RTTE: No	€26.00


Chargers & Conditioners



Multi-Unit Desktop Charger (UK Plug)

- Dimensions HxWxD(mm): 64.35x424x110
- Weight(g):900
- Chemistry: Lilon
- No. of Pockets: 6
- Maintenance system: No
- Operating voltage AC: 100-240
- Line Cord: UK
- Display: No
- Charger Type: Non-IMPRES


Part Number: PMLN6686A ACCESSORY KIT,CHR STD MUC INT UK	List Price
Unit of Measure: EA CE: Yes RTTE: Yes	€396.00



Multi-Unit Desktop Charger (Euro Plug)

- Dimensions HxWxD(mm): 64.35x424x110
- Weight(g): 900
- Chemistry: Lilon
- No. of Pockets: 6
- Maintenance system: No
- Operating voltage AC: 100-240
- Line Cord: EURO
- Display: No
- Charger Type: Non-IMPRES


Part Number: PMLN6688A ACCESSORY KIT,CHR STD MUC INT EU	List Price
Unit of Measure: EA CE: Yes RTTE: Yes	€396.00



Tri-Unit Charger(UK)

- Dimensions HxWxD(mm): 52x93x113
- Weight(g): 249g
- Chemistry: Lilon
- No. of Charger Pockets: 2
- Micro USB Socket : 1
- Maintenance system: N
- Operating Voltage (Vac): 90-264
- Line Cord: UK
- Display: No
- Charger Type: Non IMPRES

Part Number: PMLN6704A CHR STD TUC EXT UK	List Price
Unit of Measure: EA CE: Yes RTTE: Yes	€72.00



Tri-Unit Charger(EU)

- Dimensions HxWxD(mm): 52x93x113
- Weight(g): 249g
- Chemistry: Lilon
- No. of Charger Pockets: 2
- Micro USB Socket : 1
- Maintenance system: N
- Operating Voltage (Vac): 90-264
- Line Cord: EU
- Display: No
- Charger Type: Non IMPRES

Part Number: PMLN6705A CHR STD TUC EXT EU	List Price
Unit of Measure: EA CE: Yes RTTE: Yes	€72.00

Call or email us for advice

Rufen Sie uns an oder mailen Sie uns für eine Beratung




info@astelecom.nl



+31 6 517 19 637

Chargers & Conditioners (Continued)


	Switch Mode Power Supply (EU) <ul style="list-style-type: none"> Type: Switch Mode Dimensions HxWxD(mm): 78.6x33.4x70.4 Operating Temperature(°C): 0°C to +40°C Storage Temperature(°C): -40°C to 70°C Operating Voltage (Vac): 100-240 Line cord: EU 	List Price
	Part Number: PS000042A12 POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB, EU Unit of Measure: EA CE: Yes RTTE: No	€22.00


	Switch Mode Power Supply (UK) <ul style="list-style-type: none"> Type: Switch Mode Dimensions HxWxD(mm): 78.6x33.4x70.4 Operating Temperature(°C): 0°C to +40°C Storage Temperature(°C): -40°C to 70°C Operating Voltage (Vac): 100-240 Line cord: UK 	List Price
	Part Number: PS000042A13 POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB, UK/HK Unit of Measure: EA CE: Yes RTTE: No	€22.00

Ear Microphone Solutions

	MagOne Earbud with in-line microphone and PTT <ul style="list-style-type: none"> Operation: Receive and transmit PTT: In-line Vox capability: Yes Intrinsic Safety Standard: No Note: MagOne warranty 6 months 	List Price
	Part Number: PMLN7156A EARBUD W IN-LINE MIC/PTT, MAG ONE Unit of Measure: EA CE: Yes RTTE: Yes	€19.00

	2-Wire Earpiece with clear acoustic tube (Black) <ul style="list-style-type: none"> Operation: Receive and transmit PTT: PTT on mic Vox capability: Yes Extra Vox-Switch on PTT: No Intrinsic Safety Standard: Non FM 	List Price
	Part Number: PMLN7157A 2-WIRE W/ TRANS TUBE, BLACK Unit of Measure: EA CE: Yes RTTE: Yes	€41.00

	Adjustable D Style Earpiece with Inline Mic/PTT <ul style="list-style-type: none"> Operation: Receive and transmit PTT: In-line Vox capability: Yes Programmable Button: No Ear Hanger size adjustable as per User's need 	List Price
	Part Number: PMLN7159A ADJUST D-STYLE W/ IN-LINE PTT/MIC Unit of Measure: EA CE: Yes RTTE: Yes	€44.00

	Swivel earpiece with in-line mic and PTT <ul style="list-style-type: none"> Operation: Receive and transmit PTT: In-line Vox capability: Yes Programmable Button: No Intrinsic Safety Standard: No 	List Price
	Part Number: PMLN7189A SWIVEL EARPICE, IN-LINE MIC & PTT Unit of Measure: EA CE: Yes RTTE: Yes	€30.00

Call or email us for advice













info@astelecom.nl

Rufen Sie uns an oder mailen Sie uns für eine Beratung



+31 6 517 19 637

Replacement Parts

 <p>Switch Mode Power Supply (Euro)</p> <ul style="list-style-type: none"> Type: Switch Mode Dimensions (mm): 84.7(L),32(W),80.2(H) Operating Temperature(°C):0°C to +50°C Storage Temperature(°C):-40°C to 85°C Operating Voltage (Vac): 90-264 Line cord: Euro <p>Part Number: 25012022002 PWR SUPPLY EU Unit of Measure: EA</p> <p>CE: Yes RTTE: Yes</p> <p>List Price €22.00</p>	 <p>Switch Mode Power Supply (UK)</p> <ul style="list-style-type: none"> Type: Switch Mode Dimensions (mm): 84.7(L),48.4(W),72.45(H) Operating Temperature(°C):0°C to +50°C Storage Temperature(°C):-40°C to 85°C Operating Voltage (Vac): 90-264 Line cord: UK <p>Part Number: 25012022003 PWR SUPPLY UK Unit of Measure: EA</p> <p>CE: Yes RTTE: Yes</p> <p>List Price €22.00</p>
 <p>Replacement Ear Tip for Wireless Earbud</p> <ul style="list-style-type: none"> Replacement Ear Tips for 1 Wire Earbud Bag contains one pair of S/M/L Ear Tips <p>Part Number: NNTN8299A EARTIPS, REPLACEMENT Unit of Measure: EA</p> <p>CE: No RTTE: No</p> <p>List Price €7.00</p>	 <p>Y-Adapter for Wireless Bluetooth PTT Pod</p> <p>Part Number: NNTN8385A Y-ADAPTER FOR WRLS BLUETOOTH PTT POD Unit of Measure: EA</p> <p>CE: Yes RTTE: Yes</p> <p>List Price €60.00</p>
 <p>Wireless Neck Loop Retention Hook, Bulk Replacement (pack of 10)</p> <ul style="list-style-type: none"> Replacement pack of 10 units <p>Part Number: NNTN8457A NECKLOOP RETENTION HOOK, BULK REPLACEMENT Unit of Measure: EA</p> <p>CE: No RTTE: Yes</p> <p>List Price €44.00</p>	 <p>COMMPORT MAINTENANCE KIT</p> <ul style="list-style-type: none"> CommPort Maintenance Kit - includes Replacement Ear Tubes (qty 10), Windscreens (qty 2) and Microphone Seal Strips (qty 10) <p>Part Number: NTN8821A COMMPORT MAINT. KIT Unit of Measure: EA</p> <p>CE: No RTTE: No</p> <p>List Price €38.64</p>
 <p>COMMPORT ADHESIVE PAD</p> <p>Part Number: NTN8986A COMMPORT ADHESIVE PAD Unit of Measure: EA</p> <p>CE: No RTTE: No</p> <p>List Price €18.00</p>	 <p>COMMPORT EAR STRAP KIT</p> <p>Part Number: NTN8988A COMMPORT EAR STRAP (PACK OF 10) Unit of Measure: EA</p> <p>CE: No RTTE: No</p> <p>List Price €14.49</p>
 <p>Clear Coiled Acoustic Tube for PMLN5957A</p> <p>Part Number: PMLN6175A TRANSPARENT ACOUSTIC TUBE Unit of Measure: EA</p> <p>CE: Yes RTTE: Yes</p> <p>List Price €10.00</p>	 <p>Swivel Clip for Wireless PTT POD</p> <ul style="list-style-type: none"> Material: Plastic Attachment Type: Swivel Note: Swivel Clip is a replacement part for Wireless PTT device NNTN8191. Assembly information can be found on Quick Reference Guide 68012006090-B <p>Part Number: PMLN6246A WIRELESS POD SWIVEL CLIP Unit of Measure: EA</p> <p>CE: No RTTE: No</p> <p>List Price €7.00</p>

Call or email us for advice



info@astelecom.nl

Rufen Sie uns an oder mailen Sie uns für eine Beratung




+31 6 517 19 637

Replacement Parts (Continued)

<i>Discreet Earpiece Kit</i>		
IMAGE COMING SOON		
Part Number: RLN4921A		List Price
DISCREET EARPIECE KIT		€366.00
Unit of Measure: EA	CE: Yes RTTE: Yes	

<i>Neckloop and Phonito Intra Discreet Earpiece Kit</i>		
IMAGE COMING SOON		
Kit includes Phonak Phonito Intra wireless discrete earpiece and neckloop		
Part Number: RLN4922A		List Price
NECKLOOP AND DISCREET EARPIECE KIT		€436.00
Unit of Measure: EA	CE: Yes RTTE: No	

<i>Commport Ear Tubes (pack of 10)</i>		
		
Part Number: RLN5037A		List Price
COMMPORT EAR TUBES (PACK OF 10)		€21.84
Unit of Measure: EA	CE: No RTTE: No	

Service & Repair

<i>Programming Cable (Micro USB)</i>		
		
<ul style="list-style-type: none"> • Cable to allow radio programming 		
Part Number: CB000262A01		List Price
CABLE,MICRO USB PROGRAMMING CABLE		€11.00
Unit of Measure: EA	CE: Yes RTTE: No	

Call or email us for advice



info@astelecom.nl


Rufen Sie uns an oder mailen Sie uns für eine Beratung







+31 6 517 19 637

Wireless Solutions

<div>WIRELESS RSM PORTABLE SOLUTION W/ DESK CHARGER (EU)</div> <div>IMAGE COMING SOON</div>		<div>WIRELESS RSM PORTABLE SOLUTION W/ DESK CHARGER (UK)</div> <div>IMAGE COMING SOON</div>	
<div>Part Number: GMLN5503A</div> <div>WIRELESS RSM PORTABLE SOLUTION W/ DESK CHARGER (EU)</div> <div>Unit of Measure: EA</div> <div>CE: Yes RTTE: Yes</div>		<div>Part Number: GMLN5504A</div> <div>WIRELESS RSM PORTABLE SOLUTION W/ DESK CHARGER (UK)</div> <div>Unit of Measure: EA</div> <div>CE: Yes RTTE: Yes</div>	
<div>List Price</div> <div>€477.00</div>		<div>List Price</div> <div>€477.00</div>	

<div>Operations Critical Wireless Portable RSM with Battery and D-Ring Swivel Clip</div> <div>IMAGE COMING SOON</div> <div><ul style="list-style-type: none">Complete kit with battery and D-swivel ringUp to 10 metre range from the RadioBattery Life (Typical, 5/5/90): 28Hrs (13Hrs with 5/35/60 configuration)Slide Off removable battery with swivel clipAudio Jack: Y (compatible Voice Tube Receive Only earpiece: PMLN7560A and Earbud Receive only MDRLN4885B)Emergency Button: YVolume Control: YTask Light: YIP Rating: IP55Intrinsic Safety Standard: NoRadio compatibility: Mototrbo DP4000 and DP4000e series, DP3441/DP3661 and DP3441e/DP3661e, SL4000/SL4010 and SL4000e/SL4010e (Accessory emergency function to be enabled on radio CPS)</div>		<div>Fast PTT module without Charger</div> <div></div> <div><ul style="list-style-type: none">Large PTT and volume control25ms Fast PTTFits easily in the hand or pocketAudible and visual status indicators for Pairing,Bluetooth link,Battery status(low and critical)and Charging status.Note1: For use with the SL4000/DM4000 Series radios the module requires a SW upgrade (Resource Centre/MOTOTRBO/Programming SW)</div>	
<div>Part Number: MDRLN6561A</div> <div>WIRELESS PORTABLE RSM</div> <div>Unit of Measure: EA</div> <div>CE: Yes RTTE: Yes</div>		<div>Part Number: NNTN8191C</div> <div>ASSY,ACCY,BT ACCY KIT, STD PAIR, NCHGR</div> <div>Unit of Measure: EA</div> <div>CE: Yes RTTE: Yes</div>	
<div>List Price</div> <div>€318.00</div>		<div>List Price</div> <div>€190.00</div>	

<div>Wireless Earbud,1 Wire,29cm length</div> <div></div> <div><ul style="list-style-type: none">Lightweight and easy to Install with Fast PTT module (NNTN8191C)In-Line MicrophoneCable length allows user to Clip on PTT module at suitable position</div>		<div>Wireless Earbud,1 Wire,116cm length</div> <div></div> <div><ul style="list-style-type: none">Lightweight and easy to Install with Fast PTT module (NNTN8191C)In-Line MicrophoneCable length allows user to Clip on PTT module at suitable position</div>	
<div>Part Number: NNTN8294A</div> <div>1-WIRE EARBUD,29CM CORD,BLACK</div> <div>Unit of Measure: EA</div> <div>CE: Yes RTTE: Yes</div>		<div>Part Number: NNTN8295A</div> <div>1-WIRE EARBUD,116CM CORD,BLACK</div> <div>Unit of Measure: EA</div> <div>CE: Yes RTTE: Yes</div>	
<div>List Price</div> <div>€40.00</div>		<div>List Price</div> <div>€43.00</div>	

<div>Wireless Earbud, 2-Wire (Black)</div> <div></div> <div><ul style="list-style-type: none">Lightweight and easy to Install with Fast PTT module (NNTN8191C)In-Line MicrophoneCable length allows user to Clip on PTT module at suitable positionCable Length: 116cmColour: Black</div>		<div>Y-Adapter for Wireless Bluetooth PTT Pod</div> <div></div>	
<div>Part Number: NNTN8298A</div> <div>2-WIRE EARBUD,116CM CORD,BLACK</div> <div>Unit of Measure: EA</div> <div>CE: Yes RTTE: Yes</div>		<div>Part Number: NNTN8385A</div> <div>Y-ADAPTER FOR WRLS BLUETOOTH PTT POD</div> <div>Unit of Measure: EA</div> <div>CE: Yes RTTE: Yes</div>	
<div>List Price</div> <div>€52.00</div>		<div>List Price</div> <div>€60.00</div>	







Call or email us for advice

 info@astelecom.nl

Rufen Sie uns an oder mailen Sie uns für eine Beratung

 +31 6 517 19 637

Wireless Solutions (Continued)

	<p>Discreet Operational Critical Wireless Surveillance Kit</p> <ul style="list-style-type: none"> Kit includes Phonak Phonito Nano wireless earpiece, neckloop and BT pod NNTN8191 Covert Wireless solution, ideal choice for undercover professionals Earpiece has a tiny form factor and is comfortable to wear all day long, 100% discrete The communications loop can be worn under a shirt or jacket The Microphone can be positioned under a lapel or similar for covert communication
<p>Part Number: NNTN8433A ACCESSORY KIT,OCW COMPLETELY DISCREET SURVEILLANCE KIT Unit of Measure: EA</p>	<p>List Price €675.00</p>
	<p>Commercial Earbud Headset 3.5mm Adapter, Multipack</p> <ul style="list-style-type: none"> Allows users to connect commercial earbud, earphones or headsets to the Fast PTT module (NNTN8191C). Comes in a Multipack of 10 units.
<p>Part Number: NNTN8737A COMMERCIAL 3.5 EARBUD HEADSET ADAPTER, MULTIPACK (10) Unit of Measure: EA</p>	<p>List Price €320.00</p>
	<p>Wireless Overt Audio Kit for Fast PTT (Black)</p> <ul style="list-style-type: none"> Lightweight and easy to Install with Fast PTT module (NNTN8191C) In-Line Microphone Cable length allows user to Clip on PTT module at suitable position Note:For users who do not require the completely discreet solution, this is an ideal fit for covert operation consisting of Dual Ear Bud leads with an addition of 3.5mm adapter for PTT pod, allowing use of iphone style headphones
<p>Part Number: NNTN8747A AUDIO ACCESSORY-EARPIECE,BLACK OVERT AUDIO KIT FOR FAST PTT Unit of Measure: EA</p>	<p>List Price €82.00</p>
	<p>Wireless Overt Audio Kit for Fast PTT (White)</p> <ul style="list-style-type: none"> Lightweight and easy to Install with Fast PTT module (NNTN8191C) In-Line Microphone Cable length allows user to Clip on PTT module at suitable position Note:For users who do not require the completely discreet solution, this is an ideal fit for covert operation consisting of Dual Ear Bud leads with an addition of 3.5mm adapter for PTT pod, allowing use of iphone style headphones
<p>Part Number: NNTN8748A AUDIO ACCESSORY-EARPIECE,WHITE OVERT AUDIO KIT FOR FAST PTT Unit of Measure: EA</p>	<p>List Price €82.00</p>
	<p>Wireless Earpiece with 12 inch cable</p> <ul style="list-style-type: none"> This is a replacement wireless earpiece with 12 inch cable for GMTN6356_ wireless kit.
<p>Part Number: NTN2572A EARPIECE W/12" CABLE Unit of Measure: EA</p>	<p>List Price €200.00</p>
	<p>Business Wireless Accessory Kit(with Swivel Earpiece)</p> <ul style="list-style-type: none"> Solution consists of Wireless Pod, Earpiece and Charging Cradle (no psu included) Power Supply Unit (PMPN4006A) to be purchased separately Wireless Pod with 3.5mm Jack, Power/Volume button, Bluetooth status indicator and clothing clip Swivel Earpiece provides secure communication, comfort and flexibility Charging Cradle is light weight and capable to charge Wireless Pod battery via Micro USB Charger
<p>Part Number: PMLN6463A BUSINESS WIRELESS ACCESSORY KIT Unit of Measure: EA</p>	<p>List Price €70.00</p>

Call or email us for advice



info@astelecom.nl

Rufen Sie uns an oder mailen Sie uns für eine Beratung



+31 6 517 19 637

Wireless Solutions (Continued)

	<p>Wireless 1- Wire Surveillance Kit (Black)</p> <ul style="list-style-type: none"> • Lightweight and easy to Install with Fast PTT module (NNTN8191C) • In-Line Microphone with a single-wire acoustic tube • Ideal choice for discrete communication in noise environment • Colour: Black
<p>Part Number: PMLN7052A AUDIO ACCESSORY-SURVEILLANCE,1-WIRE SURVEILLANCE KIT FOR OCW/MCW Unit of Measure: EA CE: Yes RTTE: Yes</p>	<p>List Price €71.00</p>
	<p>Business Wireless Accessory Kit (with Boom Mic Earpiece)</p> <ul style="list-style-type: none"> • Solution consists of Wireless Pod, Earpiece and Charging Cradle (no psu included) • Power Supply Unit (PMPN4006A) to be purchased separately • Wireless Pod with 3.5mm Jack, Power/Volume button, Bluetooth status indicator and clothing clip • Earpiece with Boom Mic provides secure communication, comfort and flexibility • Charging Cradle is light weight and capable to charge Wireless Pod battery via Micro USB Charger
<p>Part Number: PMLN7181A FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC Unit of Measure: EA CE: Yes RTTE: Yes</p>	<p>List Price €85.00</p>
	<p>Earpiece with Boom Mic (Multipack)</p> <ul style="list-style-type: none"> • Pack of 3 Earpieces which can be used as a replacement Earpiece for Business Wireless Solution PMLN7181A
<p>Part Number: PMLN7203A FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK Unit of Measure: EA CE: Yes RTTE: Yes</p>	<p>List Price €73.00</p>
	<p>Wireless BT PoD (Multipack)</p> <ul style="list-style-type: none"> • Pack of 3 BT PoD which can be used as a replacement PoD for Business Wireless Solution PMLN6463A
<p>Part Number: PMLN7369A WIRELESS BLUETOOTH POD,MULTI Unit of Measure: EA CE: Yes RTTE: Yes</p>	<p>List Price €195.00</p>
<p>IMAGE COMING SOON</p>	<p>Wireless RSM for Portable Radios (without battery)</p> <ul style="list-style-type: none"> • Up to 10 metre range from the radio • Replacement RSM unit excluding battery and clip • Microphone Type : Omnidirectional • Operating voltage: 3.6V DC • IP rating : IP55 (with dust cover closed) • Additional Functions: Emergency, Vol Ctrl, 3.5mm Audio Jack and Task light • Compatible with Voice Tube Receive Only earpiece: PMLN7560A and Earbud Receive only earpiece MDRLN4885B • Radio compatibility: Mototrbo DP4000 series, DP3441/DP3661 series and SL1400 series • Intrinsic Safety Standard: No
<p>Part Number: PMMN4096A MICROPHONE,WIRELESS RSM FOR PORTABLES Unit of Measure: EA CE: Yes RTTE: Yes</p>	<p>List Price €295.00</p>
	<p>Li-Ion 1800mAh Battery for Wireless RSM PMMN4095 and PMMN4096</p> <ul style="list-style-type: none"> • Dimensions HxWxD(mm): 83 x 60 x 18 • Weight(g): 59g • Chemistry: Lilon • Operational Time(Hrs): 28hrs (conf :5/5/90) or 13 Hrs (Conf :5/35/60) • Capacity[mAh]: 1800mAh (Typical) • Type: Non IMPRES • No. of Charge cycle: • Energy Density (mAh/cm3): • Operating Tem Range (°C): -10 to +60 • Memory Effect: None • Requires Maintenance: N • Intrinsic Safety: N
<p>Part Number: PMNN4461A BATT STD LIION 1800T Unit of Measure: EA CE: Yes RTTE: Yes</p>	<p>List Price €75.00</p>
	<p>Switch Mode Power Supply (EU)</p> <ul style="list-style-type: none"> • Type: Switch Mode • Dimensions HxWxD(mm): 78.6x33.4x70.4 • Operating Temperature(°C):0°C to +40°C • Storage Temperature(°C):-40°C to 70°C • Operating Voltage (Vac): 100-240 • Line cord: EU
<p>Part Number: PS000042A12 POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB, EU Unit of Measure: EA CE: Yes RTTE: No</p>	<p>List Price €22.00</p>
	<p>Switch Mode Power Supply (UK)</p> <ul style="list-style-type: none"> • Type: Switch Mode • Dimensions HxWxD(mm): 78.6x33.4x70.4 • Operating Temperature(°C):0°C to +40°C • Storage Temperature(°C):-40°C to 70°C • Operating Voltage (Vac): 100-240 • Line cord: UK
<p>Part Number: PS000042A13 POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB, UK/HK Unit of Measure: EA CE: Yes RTTE: No</p>	<p>List Price €22.00</p>

Call or email us for advice



info@astelecom.nl

Rufen Sie uns an oder mailen Sie uns für eine Beratung



+31 6 517 19 637

Wireless Solutions (Continued)

<p>IMAGE COMING SOON</p> <p>Neckloop and Phonito Intra Discreet Earpiece Kit</p> <p>Kit includes Phonak Phonito Intra wireless discrete earpiece and neckloop</p> <table border="1"> <tr> <td>Part Number: RLN4922A</td> <td>List Price</td> </tr> <tr> <td>NECKLOOP AND DISCREET EARPiece KIT</td> <td>€436.00</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: Yes RTTE: No</td> </tr> </table>	Part Number: RLN4922A	List Price	NECKLOOP AND DISCREET EARPiece KIT	€436.00	Unit of Measure: EA	CE: Yes RTTE: No	<p>Behind The Head Heavy Duty OCW Wireless Headset</p> <ul style="list-style-type: none"> • PTT:Yes • Receive via: Both ears • Transmit via: Boom mic • Headband: Behind The Head • Hearing Protection: 23dB • Volume Up/Down: Yes • Power Up/Down Button: On EarCup • Battery Type: Lithium Polymer • Battery Life(Typical, 5/5/90): 22Hrs • Battery Charge Time: 7Hrs • Weight: 429(g) <table border="1"> <tr> <td>Part Number: RLN6490A</td> <td>List Price</td> </tr> <tr> <td>XBT HEADSET BTN, HEAVY DUTY HEADSET, BT</td> <td>€733.00</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: Yes RTTE: Yes</td> </tr> </table>	Part Number: RLN6490A	List Price	XBT HEADSET BTN, HEAVY DUTY HEADSET, BT	€733.00	Unit of Measure: EA	CE: Yes RTTE: Yes
Part Number: RLN4922A	List Price												
NECKLOOP AND DISCREET EARPiece KIT	€436.00												
Unit of Measure: EA	CE: Yes RTTE: No												
Part Number: RLN6490A	List Price												
XBT HEADSET BTN, HEAVY DUTY HEADSET, BT	€733.00												
Unit of Measure: EA	CE: Yes RTTE: Yes												
<p>Over The Head Heavy Duty OCW Wireless Headset</p> <ul style="list-style-type: none"> • PTT:Yes • Receive via: Both ears • Transmit via: Boom mic • Headband: Over The Head • Hearing Protection: 25dB • Volume Up/Down: Yes • Power Up/Down Button: On EarCup • Battery Type: Lithium Polymer • Battery Life(Typical, 5/5/90): 22Hrs • Battery Charge Time: 7Hrs • Weight: 422(g) <table border="1"> <tr> <td>Part Number: RLN6491A</td> <td>List Price</td> </tr> <tr> <td>XBT HEADSET HB, HEAVY DUTY HEADSET, BT</td> <td>€733.00</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: Yes RTTE: Yes</td> </tr> </table>	Part Number: RLN6491A	List Price	XBT HEADSET HB, HEAVY DUTY HEADSET, BT	€733.00	Unit of Measure: EA	CE: Yes RTTE: Yes	<p>Swivel Earpiece Multipack</p> <ul style="list-style-type: none"> • Pack of 3 Earpieces which can be used as a replacement Earpiece for Business Wireless Solution PMLN6463A <table border="1"> <tr> <td>Part Number: RLN6550A</td> <td>List Price</td> </tr> <tr> <td>WRLS EARPiece, BT ACCY KIT MULTI</td> <td>€49.00</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: Yes RTTE: Yes</td> </tr> </table>	Part Number: RLN6550A	List Price	WRLS EARPiece, BT ACCY KIT MULTI	€49.00	Unit of Measure: EA	CE: Yes RTTE: Yes
Part Number: RLN6491A	List Price												
XBT HEADSET HB, HEAVY DUTY HEADSET, BT	€733.00												
Unit of Measure: EA	CE: Yes RTTE: Yes												
Part Number: RLN6550A	List Price												
WRLS EARPiece, BT ACCY KIT MULTI	€49.00												
Unit of Measure: EA	CE: Yes RTTE: Yes												

Call or email us for advice



info@astelecom.nl

Rufen Sie uns an oder mailen Sie uns für eine Beratung



+31 6 517 19 637